


Kyoto

66888 Wasabi

WOVEN FABRIC



Performance Summary

- Enhanced soil + stain resistance
- Enhanced abrasion resistance
- Bleach-solution cleanable
- Enhanced fade resistance
- Indoor / Outdoor

Environmental

- GREENGUARD Gold Certified
- LBC Red List Free
- REACH Compliant
- RoHS Compliant
- Healthier Hospitals Compliant
- OEKO-TEX Standard 100 Certified
- No PFAS, fluorocarbons or perfluorinated compounds
- No added flame retardants
- No added antimicrobials

Cleaning and Maintenance

Cleaning Code: **(W-S)** For water-based stains use water-based cleaners. For oil-based stains use solvent-based cleaners. We recommend using a professional cleaning service.

Bleach solutions of up to 20% may be used for more difficult stains.

Dye lots may vary slightly.

* This term and any corresponding data refer to the typical performance in the tests indicated and should not be construed to imply the behavior of this or any other material under actual fire conditions.

** Multiple factors affect fabric durability and appearance retention, including end-user application and proper maintenance. Wyzenbeek results above 100,000 double rubs have not been shown to be an indicator of increased lifespan.

Specifications

Content	63% Sunbrella® Solutions Dyed Acrylic, 37% Sunbrella® Solution Dyed Polyester
Finish	Non-PFAS / Water-Based Stain Resistant
Backing	Acrylic
Weight	14.6 oz./lin. yd. ± 1.0 oz.
Width	54 inches
Repeat	Horizontal: 26 inches, Vertical: 28 inches, directional
Roll Size	60 yards
	Made in the USA

Performance Characteristics

Abrasion Resistance** ASTM D-4157	Exceeds 100,000 double rubs - heavy duty
Break Strength ASTM D-5034	Warp: 295.63 lbs. min., Fill: 359.53 lbs. min.
Tear Strength ASTM D-2261	Warp: 34.27 lbs. min., Fill: 36.1 lbs. min.
Seam Slippage ASTM D-4034	Warp: 65.9 lbs. min., Fill: 61.3 lbs. min.
Brush Pilling ASTM D-3511	Class 5.0 min.
Colorfastness to Light AATCC-16	2000 Hours, Class 4.0
Crocking AATCC-8	Dry: Class 5.0, Wet: Class 5.0

Flammability*

California Technical Bulletin 117-2013 Section 1	Passed
NFPA 260	Class 1
UFAC	Class 1



Stinson®

C.F. Stinson, LLC
2849 Product Drive
Rochester Hills, MI 48309

P 800 841 6279
F 248 299 3884

cfstinson.com